


# HYDROSTAIN MODULAR

ONE STAIN SYSTEM – A WIDE RANGE  
OF APPLICATION OPTIONS



**SHOW WHAT YOU ARE ABLE TO DO**  
**[WWW.JORDANLACKE.DE](http://WWW.JORDANLACKE.DE)**

With HYDROSTAIN-MODULAR stains, JORDAN Lacke has launched a modern, water-based system that can meet almost all customer requirements.

Thanks to its modular design, the staining system offers a wide range of application options – from standard and rustic to positive stains. All products in the water-based HYDROSTAIN-MODULAR system are nontoxic and enable surface design that is both healthy and environmentally friendly.

### OPTIONS

1. Pigment stains: When using stains consisting exclusively of JC7310-XXXXX pigment solutions, lightly covered stain tones are achieved. These pigment stains are lightfast and can be used under UV lacquers. Due to their high UV stability, they are also suitable for particularly critical living areas with strong sunlight (e.g. behind large patio windows on the south side). Pigment stains are also ideal for evening out colour variations in veneer patterns. Pigment solutions are suitable for use with standard and rustic bases!

2. Dye stains: When using stains containing only dye solutions JC7300-XXXXX, particularly brilliant stain tones with excellent colour enhancement are achieved. The dye stains visually highlight or intensify the colour differences in the veneer pattern. They are particularly suitable for woods such as mahogany and cherry. The dye stains are lightfast, therefore exposure to direct sunlight over a longer period of time is relatively uncritical. However, with weakly concentrated stain shades, a change in the wood due to UV radiation must always be taken into account. Dye solutions are suitable for use with all bases (standard/rustic/positive)!

### APPLICATION

- Apply HYDROSTAIN-MODULAR-STANDARD JC7320-XXXXX using a spray gun, brush or roller. Spray, brush or roll on a visibly moist film (not wet) without subsequent spreading.
- Apply HYDROSTAIN-MODULAR-POSITIVE JC7330-XXXXX using a spray gun or stain brush. Spray on a visibly moist film (not wet) without subsequent distribution.
- Apply HYDROSTAIN-MODULAR-RUSTIC JC7340-XXXXX using a spray gun, cloth or brush. Spray on a moist film, allow to take effect and then spread. The application time determines the intensity of the colour tone.

### METHOD OF USE

All base colours (dye and pigment solutions) can also be used undiluted to achieve a very concentrated colouring of the wood. If less intense colouring or certain effects are desired, a base of up to 80% must be applied.

Work steps:

1. Select the desired effect: Standard, Positive, Rustic
2. Pour the selected base into a measuring cup
3. Add the desired amount of JC7300-XXXXX colourants or JC7310-XXXXX pigments and adjust the colour tone. Any concentration of base to pigment/colourant mixture is possible:

Little base = very colourful and opaque stain

Lots of base = glazing and lightly colouring stain

**Please note: Positive effects can only be achieved with dye solutions and Positive White JC7330-00001! A drying time of 4 hours should be observed so that the positive effect can develop.**

### NOTES

The staining effect depends on many factors, including the type of wood, wood quality, wood grinding, application method, application quantity, staining time and lacquer coating. It is therefore essential to produce a sample on the wood or veneer to be used, followed by lacquering, before starting the staining work.

The stain colours shown in the stain chart are for guidance only. They are not binding in terms of the original delivery (subject to slight colour variations).

In the case of very low-concentration stain colours, UV radiation may cause a change in the colour of the wood. To delay colour changes caused by exposure to light, add 1% CLASSIC-PRO-UV-PROTECT JA9045-0-001 to the lacquers.

Please refer to the technical data sheet for technical processing instructions, which is always available in its latest version on our website [www.jordanlacke.de](http://www.jordanlacke.de).

## HYDROSTAIN MODULAR

ONE STAIN SYSTEM – MANY COMBINATIONS

	HYDROSTAIN MODULAR STANDARD	HYDROSTAIN MODULAR POSITIVE	HYDROSTAIN MODULAR RUSTIC
 PIGMENT SOLUTION			
 DYE SOLUTION			

# HYDROSTAIN MODULAR

ONE STAIN SYSTEM – A WIDE RANGE OF APPLICATION OPTIONS

## HYDROSTAIN-MODULAR-STANDARD JC7320-XXXXX\*

### + Dye solutions



Shade-No.: JC7320-8147 (Salted Caramel)  
96 P clear, 2 P yellow (d), 1 P red (d), 1 P black (d)



Shade-No.: JC7320-8148 (Italian Cappuccino)  
95 P clear, 1 P yellow (d), 1 P red (d), 3 P black (d)



Shade-No.: JC7320-8149 (Roasted Hazelnut)  
90 P clear, 3 P yellow (d), 3 P red (d), 4 P black (d)



Shade-No.: JC7320-8150 (Baltic Amber)  
72 P clear, 20 P yellow (d), 5 P red (d), 3 P black (d)



Shade-No.: JC7320-3104 (Red Cinnamon)  
79 P clear, 7 P yellow (d), 7 P red (d), 7 P black (d)



Shade-No.: JC7320-8151 (Dark Chocolate)  
86 P clear, 2 P yellow (d), 2 P red (d), 10 P black (d)

### + Dye- and pigment solutions



Shade-No.: JC7320-1104 (Golden Honey)  
97 P clear, 1 P yellow (d), 1 P white (p), 1 P yellow (p)



Shade-No.: JC7320-3105 (Nordic Salmon)  
96 P clear, 2 P rot (d), 2 P white (p)



Shade-No.: JC7320-6105 (Frozen Mint)  
97 P clear, 1 P blue (d), 1 P black (d), 1 P white (p)



Shade-No.: JC7320-8152 (Arctic Lichen)  
97 P clear, 1 P yellow (d), 1 P blue (d), 1 P white (p)



Shade-No.: JC7320-7111 (Mystic Grey)  
84 P clear, 4 P black (d), 12 P white (p)



Shade-No.: JC7320-5105 (Nautical Night)  
80 P clear, 14 P black (d), 3 P red (p), 3 P blue (p)

### + Pigment solutions




Shade-No.: JC7320-1105 (Sweet Curry)  
90 P clear, 5 P white (p), 5 P yellow (p)



Shade-No.: JC7320-3106 (Oriental Auburn)  
92 P clear, 1 P yellow (p), 6 P red (p), 1 P black (p)



Shade-No.: JC7320-8153 (Green Mate)  
93 P clear, 2 P yellow (p), 2 P red (p), 1 P blue (p),  
2 P black (p)



Shade-No.: JC7320-8154 (London Toffee)  
92 P clear, 3 P white (p), 3 P yellow (p), 1 P red (p),  
1 P black (p)



Shade-No.: JC7320-8155 (Cocoa Fudge)  
95 P clear, 3 P red (p), 1 P blue (p), 1 P black (p)



Shade-No.: JC7320-5106 (Teal Diamond)  
87 P clear, 2 P yellow (p), 3 P red (p), 8 P blue (p)

\*The card numbers shown here are identical to the old article numbers. This means that the natural wood stain cards can continue to be used without any problems. New article numbers differ from these and can be found on invoices/delivery notes.

## HYDROSTAIN-MODULAR Dye solutions JC7300-XXXXX



...-01001  
yellow (d)

...-02001  
orange (d)

...-03001  
red (d)

...-04001  
violet (d)

...-05001  
blue (d)

...-06001  
green (d)

...-08001  
brown (d)

...-09001  
black (d)

JC7330-00001  
positive-white

## HYDROSTAIN-MODULAR-POSITIVE JC7330-XXXXX\*

### + Dye solutions




Shade-No.: JC7330-1109 (Spicy Ginger)  
92 P clear, 5 P yellow (d), 2 P red (d), 1 P black (d)




Shade-No.: JC7330-2102 (Sweet Mandarin)  
73 P clear, 20 P yellow (d), 5 P red (d), 2 P black (d)



Shade-No.: JC7330-3103 (Whilted Rose)  
66 P clear, 17 P yellow (d), 11 P red (d), 6 P black (d)



Shade-No.: JC7330-8135 (Turkish Mocca)  
75 P clear, 10 P yellow (d), 5 P red (d), 10 P black (d)



Shade-No.: JC7330-8136 (Caramel Cedar)  
82 P clear, 5 P yellow (d), 5 P red (d), 8 P black (d)




Shade-No.: JC7330-8137 (Light Ale)  
70 P clear, 10 P yellow (d), 10 P red (d), 10 P black (d)



Shade-No.: JC7330-8138 (Sweet Nougat)  
90 P clear, 2 P yellow (d), 2 P red (d), 6 P black (d)



Shade-No.: JC7330-6102 (Olive Grove)  
69 P clear, 15 P yellow (d), 3 P red (d), 13 P black (d)



Shade-No.: JC7330-5101 (Midnight Forest)  
49 P clear, 1 P yellow (d), 50 P black (d)

### + Dye solutions and positive-white



Shade-No.: JC7330-0900 (White Positive)  
100 Parts white-positive



Shade-No.: JC7330-2103 (Light Salmon)  
36 P clear, 61 P white-positive, 1 P yellow (d),  
1 P red (d), 1 P black (d)



Shade-No.: JC7330-1110 (Sunny Beach)  
72 P clear, 24 P white-positive, 2 P yellow (d),  
1 P red (d), 1 P black (d)



Shade-No.: JC7330-8139 (Seaside Cliff)  
80 P clear, 15 T white-positive, 1 P yellow (d),  
1 P red (d), 3 P black (d)



Shade-No.: JC7330-7111 (Grey Delight)  
41 P clear, 52 P white-positive, 1 P yellow (d),  
1 P red (d), 5 P black (d)



Shade-No.: JC7330-5102 (Artic Breeze)  
98 P white-positive, 2 P black (d)



Shade-No.: JC7330-6103 (Alpine Meadow)  
89 P white-positive, 3 P yellow (d), 1 P red (d),  
1 P blue (d), 6 P black (d)



Shade-No.: JC7330-9801 (Black Truffle)  
70 P clear, 2 P white-positive, 1 P yellow (d), 2 P red (d),  
25 P black (d)



Shade-No.: JC7330-5103 (Dark Blueberry)  
50 P white-positive, 7 P red (d), 7 P blue (d),  
36 P black (d)

\* The card numbers shown here are identical to the old article numbers. This means that the natural wood stain cards can continue to be used without any problems. New article numbers differ from these and can be found on invoices/delivery notes.

## HYDROSTAIN-MODULAR Pigment solutions JC7310-XXXXX



...-00001  
white (p)

...-01002  
yellow (p)

...-01001  
yellow-reddish (p)

...-03001  
red (p)

...-03002  
ruby (p)

...-04001  
violet (p)

...-05001  
blue (p)

...-06001  
green (p)

...-08001  
brown (p)

...-09001  
black (p)

## HYDROSTAIN-MODULAR-RUSTIC JC7340-XXXXX\*

### + Dye solutions



Shade-No.: JC7340-8129 (Salted Caramel)  
96 P clear, 2 P yellow (d), 1 P red (d), 1 P black (d)



Shade-No.: JC7340-8130 (Italian Cappuccino)  
95 P clear, 1 P yellow (d), 1 P red (d), 3 P black (d)



Shade-No.: JC7340-8131 (Roasted Hazelnut)  
90 P clear, 3 P yellow (d), 3 P red (d), 4 P black (d)



Shade-No.: JC7340-8132 (Baltic Amber)  
72 P clear, 20 P yellow (d), 5 P red (d), 3 P black (d)



Shade-No.: JC7340-3101 (Red Cinnamon)  
79 P clear, 7 P yellow (d), 7 P red (d), 7 P black (d)



Shade-No.: JC7340-8133 (Dark Chocolate)  
86 P clear, 2 P yellow (d), 2 P red (d), 10 P black (d)

### + Dye- and pigment solutions



Shade-No.: JC7340-1105 (Golden Honey)  
97 P clear, 1 P yellow (d), 1 P white (p), 1 P yellow (p)



Shade-No.: JC7340-3102 (Nordic Salmon)  
96 P clear, 2 P red (d), 2 P white (p)



Shade-No.: JC7340-6106 (Frozen Mint)  
97 P clear, 1 P blue (d), 1 P black (d), 1 P white (p)



Shade-No.: JC7340-8134 (Arctic Lichen)  
97 P clear, 1 P yellow (d), 1 P blue (d), 1 P white (p)



Shade-No.: JC7340-7109 (Mystic Grey)  
84 P clear, 4 P black (d), 12 P white (p)



Shade-No.: JC7340-5103 (Nautical Night)  
80 P clear, 14 P black (d), 3 P red (p), 3 P blue (p)

### + Pigment solutions



Shade-No.: JC7340-1106 (Sweet Curry)  
90 P clear, 5 P white (p), 5 P yellow (p)



Shade-No.: JC7340-3103 (Oriental Auburn)  
92 P clear, 1 P yellow (p), 6 P red (p), 1 P black (p)



Shade-No.: JC7340-8135 (Green Mate)  
93 P clear, 2 P yellow (p), 2 P red (p), 1 P blue (p),  
2 P black (p)



Shade-No.: JC7340-8136 (London Toffee)  
92 P clear, 3 P white (p), 3 P yellow (p), 1 P red (p),  
1 P black (p)



Shade-No.: JC7340-8137 (Cocoa Fudge)  
95 P clear, 3 P red (p), 1 P blue (p), 1 P black (p)



Shade-No.: JC7340-5104 (Teal Diamond)  
87 P clear, 2 P yellow (p), 3 P red (p), 8 P blue (p)

\* The card numbers shown here are identical to the old article numbers. This means that the natural wood stain cards can continue to be used without any problems. New article numbers differ from these and can be found on invoices/delivery notes.

## ADVANTAGES

- + All in one system - depending on customer requirements, the right solution is available from the modern system.
- + The dye solutions can be used to achieve bright, vibrant, highly transparent colours.
- + The pigment solutions can be used to achieve levelling and semi-opaque colours.
- + With the HYDROSTAIN-MODULAR-POSITIVE base, excellent and brilliant colours with a positive effect can be achieved on softwoods.
- + Can be overcoated with all conventional Jordan coating systems.
- + All HYDROSTAIN-MODULAR products can be used under both one-component water-based coatings and UV coatings thanks to modern, light-stable pigments and dyes.



02-2026

### PLANTAG Coatings GmbH

Ohmstraße 8

32758 Detmold

GERMANY

Fon +49 5231 6002 661

E-Mail [info@jordanlacke.de](mailto:info@jordanlacke.de)

**JORDAN Lacke – a brand of PLANTAG Coatings GmbH**

