

# NATURAL, COLOURFUL, BEAUTIFUL

NATURAL SURFACES IN UNEXPECTED VARIETY WITH  
OILS FOR FURNITURE, STAIRS AND PARQUET FLOORS



**SHOW WHAT YOU ARE ABLE TO DO!**  
**[WWW.JORDANLACKE.DE](http://WWW.JORDANLACKE.DE)**

# OUR OILS

## FOR ATTRACTIVE SURFACES



Coloured oil  
with high hardness.

### 1K DECO-OIL-COLOR DO 630

NEW!

#### PRODUCT PROPERTIES

- + free from aromatics
- + easy processing
- + high stability against shiny areas
- + water and dirt repellent
- + application possible with cloth, brush, spray gun and roller
- + available in 11 colour shades

#### STANDARDS AND TESTS

- + DIN 68861-1C chemical resistance
- + cobalt-free

Using the 11 basic shades yellow, oxide yellow, oxide red, red, magenta, violet, blue, green, brown, white and black, you can easily mix all imaginable colour shades. The illustrated sample boards on the right-hand side are only intended for orientation and are just a small extract from the unlimited possibilities that 1K DECO-OIL-COLOR DO 630 offers you. Using the two types of wood oak and beech these examples show how easy it is to give your wood a natural, colourful and beautiful look.

**The 1K DECO-OIL-COLOR DO 630 is available in the following basic shades:**



DO 630-10 YELLOW



DO 630-38 MAGENTA



DO 630-80 BROWN



DO 630-13 OXIDE YELLOW



DO 630-44 VIOLET



DO 630-90 WHITE



DO 630-30 OXIDE RED



DO 630-50 BLUE



DO 630-96 BLACK



DO 630-33 RED



DO 630-60 GREEN

# WIDE COLOUR RANGE WITH 1K DECO-OIL-COLOR DO 630

NATURAL VARIETY OF COLOURS – EVERYTHING IS POSSIBLE

**OAK**

**BEECH**

**OAK**

**BEECH**



90 PARTS BLACK 10 PARTS RED



90 PARTS BLACK 10 PARTS RED



60 PARTS YELLOW 40 PARTS BLUE



60 PARTS YELLOW 40 PARTS BLUE



60 PARTS BLACK 40 PARTS RED



60 PARTS BLACK 40 PARTS RED



90 PARTS YELLOW 10 PARTS BLUE



90 PARTS YELLOW 10 PARTS BLUE



60 PARTS RED 40 PARTS BLACK



60 PARTS RED 40 PARTS BLACK



50P YELLOW 40P RED 10P BLUE



50P YELLOW 40P RED 10P BLUE



90 PARTS RED 10 PARTS BLACK



90 PARTS RED 10 PARTS BLACK



55P WHITE 40P WHITE 5P BLUE



55P WHITE 40P BLACK 5P BLUE



60 PARTS YELLOW 40 PARTS RED



60 PARTS YELLOW 40 PARTS RED



85P WHITE 10P WHITE 5P BLUE



85P WHITE 10P BLACK 5P BLUE



90 PARTS YELLOW 10 PARTS RED



90 PARTS YELLOW 10 PARTS RED



95P WHITE 2P WHITE 3P BLUE



95P WHITE 2P BLACK 3P BLUE



## 1K DECO-OIL DO 640C

**NEW!**

Transparent oil  
with high hardness.

### PRODUCT PROPERTIES

- + free from aromatics
- + easy processing
- + high stability against shiny areas
- + water and dirt repellent
- + application possible with cloth, brush, spray gun and roller

### STANDARDS AND TESTS

- + EN 71, part 3, free of extractable heavy metals
- + DIN 68861-1C chemical resistance
- + cobalt-free



## 1K + 2K DECO-OIL DO 660

VOC-free 1-component and  
2-component oil based on  
renewable raw materials.

**MIXING RATIO**  
If hardener is added 10:1 with  
DECO-OIL HARDENER 613  
depending on volume.

### PRODUCT PROPERTIES

- + good grain warmth effect, emphasizes the inherent colour of the wood
- + can be used either with or without hardener
- + water and dirt repellent
- + the surface has an open-pore appearance with satin-like gloss
- + contains natural raw materials

### STANDARDS AND TESTS

- + EN 71, part 3, free of extractable heavy metals
- + DIN 68861-1C chemical resistance
- + VOC-free
- + decopaint-conform



## 1K DECO-OBJECT-OIL DO 670

Decopaint-conform natural oil.

### PRODUCT PROPERTIES

- + suitable for light wood
- + good penetration behaviour
- + excellent water resistance
- + high hardness
- + high stability against shiny areas
- + gives the wood an especially natural appearance
- + very suitable for coating wood and furniture parts as well as parquet floors
- + white inherent colour, brightens the wood shade

### STANDARDS AND TESTS

- + EN 71, part 3, free of extractable heavy metals
- + DIN 68861-1C chemical resistance
- + free of formaldehyde and cobalt-free
- + decopaint-conform



Decopaint-conform  
oil-wax combination.

## 1K DECO-NATURWACHS-OIL DO 680

### PRODUCT PROPERTIES

- + good penetration behaviour
- + good water resistance
- + the wood shade and the wood structure are particularly emphasized
- + very suitable for coating wood and furniture parts as well as parquet floors and wooden stairs

### STANDARDS AND TESTS

- + EN 71, part 3, free of extractable heavy metals
- + DIN 68861-1C chemical resistance
- + free of formaldehyde and cobalt-free
- + decopaint-conform



1-component wax oil for surface  
treatment of parquet floors and  
stair components in living areas.

## 1K ECO-HARTWACHS-FINISH EHF 570

**NEW!**

### PRODUCT PROPERTIES

- + simple processing
- + extremely good penetration behaviour
- + very good water resistance
- + good accentuation of the wood surface
- + very good levelling properties

### STANDARDS AND TESTS

- + EN 71, part 3, free of extractable heavy metals
- + DIN 68861-1C chemical resistance
- + complies with GISCODE: Ö 60
- + free from harmful substances such as: NMP, APEO



**PLANTAG Coatings GmbH**

Plantagenweg 34-38

32758 Detmold

GERMANY

Fon +49 5231 6002 661

Fax +49 5231 6002 9661

E-Mail [info@jordanlacke.de](mailto:info@jordanlacke.de)

**JORDAN Lacke – a brand of PLANTAG Coatings GmbH**